### **Honey Grove Timber LLC**

Texas, AC +/-







Boundary

Boundary

# | All Polygons 38.7 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
FeD2	Ferris clay, 5 to 12 percent slopes, eroded	23.61	61.01	0	45	6e
HfC2	Heiden-Ferris complex, 2 to 6 percent slopes, eroded	12.45	32.17	0	34	3e
Fr	Frioton silty clay loam, occasionally flooded	2.64	6.82	0	67	2w
TOTALS		38.7(*	100%	-	42.96	4.76

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

### Boundary 19.67 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
HfC2	Heiden-Ferris complex, 2 to 6 percent slopes, eroded	12.45	63.29	0	34	3e
FeD2	Ferris clay, 5 to 12 percent slopes, eroded	4.58	23.28	0	45	6e
Fr	Frioton silty clay loam, occasionally flooded	2.64	13.42	0	67	2w
TOTALS		19.67( *)	100%	-	40.99	3.56

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

#### | Boundary 19.03 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
FeD2	Ferris clay, 5 to 12 percent slopes, eroded	19.03	100	0	45	6e
TOTALS		19.03(	100%	-	45.0	6

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

## **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water